




ROUND BEND U-BOLTS

Round Bend U-Bolts for Steel or Wrought Iron pipe sizes 1/4"-18" inclusive, as listed on this and next pages, are produced from low carbon steel and supplied with NC rolled threads and two (2) hex nuts. In addition, U-Bolt plate is available if required.



Standard Pack:
10 Pieces



Over 4" Pipe Size:
Bulk

ZINC PLATED

Some sizes also available in Stainless Steel. See page 50.

| U-Bolt Dimensions – Inches | | | | For Pipe Size | U-Bolts & 2 Nuts | | | U-Bolts, Plates & 2 Nuts | | |
|----------------------------|----------|-------------------|-------------------|---------------|------------------|----------|----------------|--------------------------|----------|----------------|
| Diameter & Thread (A) | I.D. (C) | Inside Length (B) | Thread Length (T) | | Stock No. | Part No. | Weight Per 100 | Stock No. | Part No. | Weight Per 100 |
| 1/4"-20 | 9/16" | 1-1/4" | 3/4" | 1/4" | 01 | 50005 0 | 5 | 1 | 50205 4 | 7 |
| 1/4"-20 | 3/4" | 1-1/4" | 5/8" | 3/8" | 02 | 50008 1 | 5 | 2 | 50208 5 | 7 |
| 1/4"-20 | 3/4" | 2-1/4" | 1-1/2" | 3/8" | 03 | 50011 1 | 7 | 3 | 50211 5 | 9 |
| 1/4"-20 | 1" | 1-3/4" | 1" | 1/2" | 04 | 50014 2 | 7 | 4 | 50214 6 | 9 |
| 1/4"-20 | 1" | 2-3/4" | 1-1/4" | 1/2" | 04L | 50017 3 | 8 | 4L | 50217 7 | 11 |
| 1/4"-20 | 1-1/8" | 2" | 1" | 3/4" | 05 | 50020 3 | 7 | 5 | 50220 7 | 9 |
| 1/4"-20 | 1-1/8" | 3-1/8" | 1-1/2" | 3/4" | 05L | 50023 4 | 9 | 5L | 50223 8 | 12 |
| 1/4"-20 | 1-1/4" | 2-1/4" | 1-1/4" | 3/4" | 06 | 50026 5 | 7.5 | 6 | 50226 9 | 10 |
| 1/4"-20 | 1-1/2" | 2-3/4" | 1-3/8" | 1" | 07 | 50029 6 | 9 | 7 | 50229 0 | 12 |
| 1/4"-20 | 1-3/4" | 3" | 1-3/8" | 1-1/4" | 08 | 50032 6 | 9 | 8 | 50232 0 | 12 |
| 1/4"-20 | 2" | 3-1/4" | 1-3/8" | 1-1/2" | 09 | 50035 7 | 9.5 | 9 | 50235 1 | 14 |
| 5/16"-18 | 1" | 2-3/16" | 1-3/8" | 1/2" | 010 | 50038 8 | 11 | 10 | 50238 2 | 14 |
| 5/16"-18 | 1-1/8" | 2-3/16" | 1" | 3/4" | 0101 | 50041 8 | 12 | 101 | 50241 2 | 14.5 |
| 5/16"-18 | 1-3/8" | 2-3/16" | 1" | 1" | 011 | 50044 9 | 12 | 11 | 50244 3 | 15 |
| 5/16"-18 | 1-3/8" | 3-5/8" | 2" | 1" | 011L | 50047 0 | 16 | 11L | 50247 4 | 20 |
| 5/16"-18 | 1-1/2" | 2-3/16" | 1" | 1" | 012 | 50050 0 | 12 | 12 | 50250 4 | 15 |
| 5/16"-18 | 1-3/4" | 2-11/16" | 1-1/8" | 1-1/4" | 013 | 50053 1 | 13 | 13 | 50253 5 | 17.5 |
| 5/16"-18 | 1-3/4" | 4-1/2" | 2" | 1-1/4" | 013L | 50056 2 | 19 | 13L | 50256 6 | 24 |
| 5/16"-18 | 2" | 2-11/16" | 1" | 1-1/2" | 014 | 50059 3 | 14 | 14 | 50259 7 | 19 |
| 5/16"-18 | 2" | 4-3/4" | 3" | 1-1/2" | 014L | 50062 3 | 20 | 14L | 50262 7 | 25 |
| 5/16"-18 | 2-1/2" | 3-3/16" | 1" | 2" | 015 | 50065 4 | 16 | 15 | 50265 8 | 21 |
| 5/16"-18 | 2-1/2" | 5-5/8" | 3" | 2" | 015L | 50068 5 | 23 | 15L | 50268 9 | 29 |
| 5/16"-18 | 3" | 3-11/16" | 1" | 2-1/2" | 016 | 50071 5 | 18 | 16 | 50271 9 | 24 |
| 3/8"-16 | 1" | 2-1/4" | 1-1/4" | 1/2" | 017 | 50074 6 | 17.5 | 17 | 50274 0 | 22.5 |
| 3/8"-16 | 1-1/4" | 2-1/4" | 1-1/4" | 3/4" | 018 | 50077 7 | 18 | 18 | 50277 1 | 24 |
| 3/8"-16 | 1-1/2" | 2-1/2" | 1-1/4" | 1" | 019 | 50080 7 | 18.5 | 19 | 50280 1 | 26 |
| 3/8"-16 | 1-3/4" | 2-3/4" | 1-1/8" | 1-1/4" | 020 | 50083 8 | 20 | 20 | 50283 2 | 27.5 |
| 3/8"-16 | 2" | 2-5/8" | 1-1/4" | 1-1/2" | 021 | 50086 9 | 20 | 21 | 50286 3 | 29 |
| 3/8"-16 | 2-1/2" | 3-1/8" | 1-1/4" | 2" | 022 | 50089 0 | 24.5 | 22 | 50289 4 | 33 |
| 3/8"-16 | 3" | 3-5/8" | 1-1/4" | 2-1/2" | 023 | 50092 0 | 26 | 23 | 50292 4 | 38 |
| 3/8"-16 | 3" | 6-5/8" | 3" | 2-1/2" | 023L | 50095 1 | 41 | 23L | 50295 5 | 52.5 |
| 3/8"-16 | 3-1/2" | 4-1/8" | 1-1/4" | 3" | 024 | 50098 2 | 30 | 24 | 50298 6 | 42.5 |
| 1/2"-13 | 3" | 4-1/2" | 1-5/8" | 2-1/2" | 025 | 50101 9 | 59 | 25 | 50301 3 | 71 |
| 1/2"-13 | 3-1/2" | 5" | 1-1/2" | 3" | 026 | 50104 0 | 64 | 26 | 50304 4 | 78 |
| 1/2"-13 | 3-1/2" | 8-1/2" | 3" | 3" | 026L | 50107 1 | 95 | 26L | 50307 5 | 110 |
| 1/2"-13 | 4" | 5-1/2" | 1-1/2" | 3-1/2" | 027 | 50110 1 | 70 | 27 | 50310 5 | 87 |
| 1/2"-13 | 4-1/2" | 6" | 1-1/2" | 4" | 028 | 50113 2 | 75 | 28 | 50313 6 | 92.5 |
| 1/2"-13 | 5-5/8" | 7-1/4" | 2" | 5" | 029 | 50116 3 | 90 | N.A. | N.A. | N.A. |
| 1/2"-13 | 6-3/4" | 8-3/8" | 2" | 6" | 030 | 50119 4 | 101 | N.A. | N.A. | N.A. |
| 1/2"-13 | 8-3/4" | 10-3/8" | 2" | 8" | 031 | 50122 4 | 120 | N.A. | N.A. | N.A. |
| *3/4"-10 | 10-7/8" | 13-13/16" | 4" | 10" | 032 | 50125 5 | 440 | N.A. | N.A. | N.A. |
| *7/8"-9 | 12-7/8" | 16-1/16" | 4-1/4" | 12" | 033 | 50128 6 | 710 | N.A. | N.A. | N.A. |
| *7/8"-9 | 14-1/8" | 17-5/16" | 4-1/4" | 14" | 034 | 50131 6 | 755 | N.A. | N.A. | N.A. |
| *7/8"-9 | 16-1/8" | 19-5/16" | 4-1/4" | 16" | 035 | 50134 7 | 850 | N.A. | N.A. | N.A. |
| *1"-8 | 18-1/8" | 21-11/16" | 4-3/4" | 18" | 036 | 50137 8 | 1245 | N.A. | N.A. | N.A. |

*Full Stock Diameter with Cut Thread. See page 34 for dimensions of steel pipe.

ROUND BEND U-BOLTS



Zinc plated and hot galvanized finishes are standard. Other types of rust preventative coatings or self-colored (black) available on a special basis. Round, Square or "V" type U-Bolts to 1" diameter manufactured to specifications in both ferrous and non-ferrous metals.



Stock numbers followed by "L" denote long length u-bolts designed for use in applications requiring longer tangents.

See additional specifications and dimensions on the next page.

HOT GALVANIZED

Some sizes also available in Stainless Steel. See page 50.

| U-Bolt Dimensions – Inches | | | | For Pipe Size | U-Bolts & 2 Nuts | | | U-Bolts, Plates & 2 Nuts | | |
|----------------------------|----------|-------------------|-------------------|---------------|------------------|----------|----------------|--------------------------|----------|----------------|
| Diameter & Thread (A) | I.D. (C) | Inside Length (B) | Thread Length (T) | | Stock No. | Part No. | Weight Per 100 | Stock No. | Part No. | Weight Per 100 |
| 1/4"-20 | 9/16" | 1-1/4" | 3/4" | 1/4" | 01HG | 53005 7 | 5 | 1HG | 53605 9 | 7 |
| 1/4"-20 | 3/4" | 1-1/4" | 5/8" | 3/8" | 02HG | 53008 8 | 5 | 2HG | 53608 0 | 7 |
| 1/4"-20 | 3/4" | 2-1/4" | 1-1/2" | 3/8" | 03HG | 53011 8 | 7 | 3HG | 53611 0 | 9 |
| 1/4"-20 | 1" | 1-3/4" | 1" | 1/2" | 04HG | 53014 9 | 7 | 4HG | 53614 1 | 9 |
| 1/4"-20 | 1" | 2-3/4" | 1-1/4" | 1/2" | 04LHG | 53017 0 | 8 | 4LHG | 53617 2 | 11 |
| 1/4"-20 | 1-1/8" | 2" | 1" | 3/4" | 05HG | 53020 0 | 7 | 5HG | 53620 2 | 9 |
| 1/4"-20 | 1-1/8" | 3-1/8" | 1-1/2" | 3/4" | 05LHG | 53023 1 | 9 | 5LHG | 53623 3 | 12 |
| 1/4"-20 | 1-1/4" | 2-1/4" | 1-1/4" | 3/4" | 06HG | 53026 2 | 7.5 | 6HG | 53626 4 | 10 |
| 1/4"-20 | 1-1/2" | 2-3/4" | 1-3/8" | 1" | 07HG | 53029 3 | 9 | 7HG | 53629 5 | 12 |
| 1/4"-20 | 1-3/4" | 3" | 1-3/8" | 1-1/4" | 08HG | 53032 3 | 9 | 8HG | 53632 5 | 12 |
| 1/4"-20 | 2" | 3-1/4" | 1-3/8" | 1-1/2" | 09HG | 53035 4 | 9.5 | 9HG | 53635 6 | 14 |
| 5/16"-18 | 1" | 2-3/16" | 1-3/8" | 1/2" | 010HG | 53038 5 | 11 | 10HG | 53638 7 | 14 |
| 5/16"-18 | 1-1/8" | 2-3/16" | 1" | 3/4" | 0101HG | 53041 5 | 12 | 101HG | 53641 7 | 14.5 |
| 5/16"-18 | 1-3/8" | 2-3/16" | 1" | 1" | 011HG | 53044 6 | 12 | 11HG | 53644 8 | 15 |
| 5/16"-18 | 1-3/8" | 3-5/8" | 2" | 1" | 011LHG | 53047 7 | 16 | 11LHG | 53647 9 | 20 |
| 5/16"-18 | 1-1/2" | 2-3/16" | 1" | 1" | 012HG | 53050 7 | 12 | 12HG | 53650 9 | 15 |
| 5/16"-18 | 1-3/4" | 2-11/16" | 1-1/8" | 1-1/4" | 013HG | 53053 8 | 13 | 13HG | 53653 0 | 17.5 |
| 5/16"-18 | 1-3/4" | 4-1/2" | 2" | 1-1/4" | 013LHG | 53056 9 | 19 | 13LHG | 53656 1 | 24 |
| 5/16"-18 | 2" | 2-11/16" | 1" | 1-1/2" | 014HG | 53059 0 | 14 | 14HG | 53659 2 | 19 |
| 5/16"-18 | 2" | 4-3/4" | 3" | 1-1/2" | 014LHG | 53062 0 | 20 | 14LHG | 53662 2 | 25 |
| 5/16"-18 | 2-1/2" | 3-3/16" | 1" | 2" | 015HG | 53065 1 | 16 | 15HG | 53665 3 | 21 |
| 5/16"-18 | 2-1/2" | 5-5/8" | 3" | 2" | 015LHG | 53068 2 | 23 | 15LHG | 53668 4 | 29 |
| 5/16"-18 | 3" | 3-11/16" | 1" | 2-1/2" | 016HG | 53071 2 | 18 | 16HG | 53671 4 | 24 |
| 3/8"-16 | 1" | 2-1/4" | 1-1/4" | 1/2" | 017HG | 53074 3 | 17.5 | 17HG | 53674 5 | 22.5 |
| 3/8"-16 | 1-1/4" | 2-1/4" | 1-1/4" | 3/4" | 018HG | 53077 4 | 18 | 18HG | 53677 6 | 24 |
| 3/8"-16 | 1-1/2" | 2-1/2" | 1-1/4" | 1" | 019HG | 53080 4 | 18.5 | 19HG | 53680 6 | 26 |
| 3/8"-16 | 1-3/4" | 2-3/4" | 1-1/8" | 1-1/4" | 020HG | 53083 5 | 20 | 20HG | 53683 7 | 27.5 |
| 3/8"-16 | 2" | 2-5/8" | 1-1/4" | 1-1/2" | 021HG | 53086 6 | 20 | 21HG | 53686 8 | 29 |
| 3/8"-16 | 2-1/2" | 3-1/8" | 1-1/4" | 2" | 022HG | 53089 7 | 24.5 | 22HG | 53689 9 | 33 |
| 3/8"-16 | 3" | 3-5/8" | 1-1/4" | 2-1/2" | 023HG | 53092 7 | 26 | 23HG | 53692 9 | 38 |
| 3/8"-16 | 3" | 6-5/8" | 3" | 2-1/2" | 023LHG | 53095 8 | 41 | 23LHG | 53695 0 | 52.5 |
| 3/8"-16 | 3-1/2" | 4-1/8" | 1-1/4" | 3" | 024HG | 53098 9 | 30 | 24HG | 53698 1 | 42.5 |
| 1/2"-13 | 3" | 4-1/2" | 1-5/8" | 2-1/2" | 025HG | 53101 6 | 59 | 25HG | 53701 8 | 71 |
| 1/2"-13 | 3-1/2" | 5" | 1-1/2" | 3" | 026HG | 53104 7 | 64 | 26HG | 53704 9 | 78 |
| 1/2"-13 | 3-1/2" | 8-1/2" | 3" | 3" | 026LHG | 53107 8 | 95 | 26LHG | 53707 0 | 110 |
| 1/2"-13 | 4" | 5-1/2" | 1-1/2" | 3-1/2" | 027HG | 53110 8 | 70 | 27HG | 53710 0 | 87 |
| 1/2"-13 | 4-1/2" | 6" | 1-1/2" | 4" | 028HG | 53113 9 | 75 | 28HG | 53713 1 | 92.5 |
| 1/2"-13 | 5-5/8" | 7-1/4" | 2" | 5" | 029HG | 53116 0 | 90 | N.A. | N.A. | N.A. |
| 1/2"-13 | 6-3/4" | 8-3/8" | 2" | 6" | 030HG | 53119 1 | 101 | N.A. | N.A. | N.A. |
| 1/2"-13 | 8-3/4" | 10-3/8" | 2" | 8" | 031HG | 53122 1 | 120 | N.A. | N.A. | N.A. |
| *3/4"-10 | 10-7/8" | 13-13/16" | 4" | 10" | 032HG | 53125 2 | 440 | N.A. | N.A. | N.A. |
| *7/8"-9 | 12-7/8" | 16-1/16" | 4-1/4" | 12" | 033HG | 53128 3 | 710 | N.A. | N.A. | N.A. |
| *7/8"-9 | 14-1/8" | 17-5/16" | 4-1/4" | 14" | 034HG | 53131 3 | 755 | N.A. | N.A. | N.A. |
| *7/8"-9 | 16-1/8" | 19-5/16" | 4-1/4" | 16" | 035HG | 53134 4 | 850 | N.A. | N.A. | N.A. |
| *1"-8 | 18-1/8" | 21-11/16" | 4-3/4" | 18" | 036HG | 53137 5 | 1245 | N.A. | N.A. | N.A. |


*Full Stock Diameter with Cut Thread



ROUND BEND U-BOLTS



ALUMINUM



| U-Bolt Dimensions – Inches | | | | For Pipe Size | U-Bolts & 2 Nuts | | |
|----------------------------|----------|-------------------|-------------------|---------------|------------------|----------|----------------|
| Diameter & Thread (A) | I.D. (C) | Inside Length (B) | Thread Length (T) | | Stock No. | Part No. | Weight Per 100 |
| 1/4"-20 | 3/4" | 1-1/4" | 5/8" | 3/8" | 02AL | 60008 8 | 1.5 |
| 1/4"-20 | 1" | 1-3/4" | 1" | 1/2" | 04AL | 60014 9 | 2 |
| 1/4"-20 | 1-1/8" | 2" | 1" | 3/4" | 05AL | 60020 0 | 2 |
| 1/4"-20 | 1-1/2" | 2-3/4" | 1-3/8" | 1" | 07AL | 60029 3 | 3.5 |
| 1/4"-20 | 1-3/4" | 3" | 1-3/8" | 1-1/4" | 08AL | 60032 3 | 4 |
| 1/4"-20 | 2" | 3-1/4" | 1-3/8" | 1-1/2" | 09AL | 60035 4 | 4 |
| 5/16"-18 | 1-3/8" | 2-3/16" | 1" | 1" | 011AL | 60044 6 | 5 |
| 5/16"-18 | 2" | 2-11/16" | 1" | 1-1/2" | 014AL | 60059 0 | 5.2 |
| 5/16"-18 | 2-1/2" | 3-3/16" | 1" | 2" | 015AL | 60065 1 | 5.5 |
| 3/8"-16 | 1-1/2" | 2-1/2" | 1-1/4" | 1" | 019AL | 60080 4 | 6.5 |
| 3/8"-16 | 2" | 2-5/8" | 1-1/4" | 1-1/2" | 021AL | 60086 6 | 7 |
| 3/8"-16 | 2-1/2" | 3-1/8" | 1-1/4" | 2" | 022AL | 60089 7 | 7.1 |
| 3/8"-16 | 3-1/2" | 4-1/8" | 1-1/4" | 3" | 024AL | 60098 9 | 10.5 |
| 1/2"-13 | 3-1/2" | 5" | 1-1/2" | 3" | 026AL | 60104 7 | 22.5 |
| 1/2"-13 | 4-1/2" | 6" | 1-1/2" | 4" | 028AL | 60113 9 | 27 |
| 1/2"-13 | 6-3/4" | 8-3/8" | 2" | 6" | 030AL | 60119 1 | 36 |

*Full Stock Diameter with Cut Thread

DIMENSIONS OF WELDED AND SEAMLESS STEEL PIPE

| Pipe Size | Outside Diameter |
|-----------|------------------|
| 1/4" | .540" |
| 3/8" | .675" |
| 1/2" | .840" |
| 3/4" | 1.05" |
| 1" | 1.315" |
| 1-1/4" | 1.66" |
| 1-1/2" | 1.90" |
| 2" | 2.375" |
| 2-1/2" | 2.875" |
| 3" | 3.500" |
| 3-1/2" | 4.000" |
| 4" | 4.500" |
| 5" | 5.563" |
| 6" | 6.625" |
| 8" | 8.625" |
| 10" | 10.750" |
| 12" | 12.750" |
| 14" | 14.000" |
| 16" | 16.000" |
| 18" | 18.000" |

Some sizes also available in Stainless Steel. See page 50.

U-BOLT PLATES



U-Bolt plates are low carbon cold rolled steel with rounded edges and zinc plated or hot galvanized finish. Plate holes are punched "on centers" of corresponding size U-Bolt and identified by stock numbers.

| Dimensions – Inches | | |
|---------------------|-------|--------|
| For U-Bolt Diameter | Gauge | Width |
| 1/4" and 5/16" | .078" | .750" |
| 3/8" and 1/2" | .109" | 1.000" |

ROUND BEND LONG TANGENT U-BOLTS




ZINC PLATED U-BOLTS WITH 4 NUTS

| Stock No. | Part No. | Pipe Size | A Diameter | C Inside Width | B Inside Length | T Thread Length | Weight Per 100 | |
|-----------|----------|-----------|------------|----------------|-----------------|-----------------|----------------|-----------------|
| | | | | | | | U-Bolt Only | U-Bolt & 4 Nuts |
| LT-B | 51460 6 | 1/2" | 1/4"-20 | 7/8" | 2-15/16" | 2-1/2" | 6 | 9 |
| LT-C | 51465 1 | 3/4" | 1/4"-20 | 1-1/8" | 3-3/16" | 2-1/2" | 7 | 10 |
| LT-D | 51470 5 | 1" | 1/4"-20 | 1-3/8" | 3-7/16" | 2-1/2" | 8 | 11 |
| LT-1 | 51505 4 | 1/2" | 3/8"-16 | 15/16" | 3" | 2-3/8" | 17.5 | 24 |
| LT-2 | 51510 8 | 3/4" | 3/8"-16 | 1-1/8" | 3-5/16" | 2-3/8" | 19 | 25.5 |
| LT-3 | 51515 3 | 1" | 3/8"-16 | 1-3/8" | 3-7/16" | 2-3/8" | 20 | 26.5 |
| LT-4 | 51520 7 | 1-1/4" | 3/8"-16 | 1-11/16" | 3-23/32" | 2-3/8" | 21.5 | 28 |
| LT-5 | 51525 2 | 1-1/2" | 3/8"-16 | 2" | 4" | 2-1/2" | 23.5 | 30 |
| LT-6 | 51530 6 | 2" | 3/8"-16 | 2-7/16" | 4-7/16" | 2-1/2" | 26.5 | 33 |
| LT-7 | 51535 1 | 2-1/2" | 1/2"-13 | 2-15/16" | 5-7/32" | 3" | 57 | 71 |
| LT-8 | 51540 5 | 3" | 1/2"-13 | 3-9/16" | 5-3/4" | 3" | 62 | 77 |
| LT-9 | 51545 0 | 3-1/2" | 1/2"-13 | 4-1/16" | 6-1/4" | 3" | 68 | 82 |
| LT-10 | 51550 4 | 4" | 1/2"-13 | 4-9/16" | 6-3/4" | 3" | 74 | 89 |
| LT-11 | 51555 9 | 5" | 1/2"-13 | 5-5/8" | 7-13/16" | 3" | 86 | 101 |
| LT-12 | 51560 3 | 6" | 5/8"-11 | 6-3/4" | 9-1/2" | 3-3/4" | 167 | 194.5 |
| LT-13 | 51565 8 | 8" | 5/8"-11 | 8-3/4" | 11-1/8" | 3-3/4" | 196 | 223.5 |
| LT-14 | 51570 2 | 10" | 3/4"-10 | 10-7/8" | 13-13/16" | 4" | 440 | 460 |



Zinc Plated



HOT GALVANIZED U-BOLTS WITH 4 NUTS

| Stock No. | Part No. | Pipe Size | A Diameter | C Inside Width | B Inside Length | T Thread Length | Weight Per 100 | |
|-----------|----------|-----------|------------|----------------|-----------------|-----------------|----------------|-----------------|
| | | | | | | | U-Bolt Only | U-Bolt & 4 Nuts |
| LT-BHG | 53165 8 | 1/2" | 1/4"-20 | 7/8" | 2-15/16" | 2-1/2" | 7 | 9 |
| LT-CHG | 53175 7 | 3/4" | 1/4"-20 | 1-1/8" | 3-3/16" | 2-1/2" | 8 | 10 |
| LT-DHG | 53180 1 | 1" | 1/4"-20 | 1-3/8" | 3-7/16" | 2-1/2" | 9 | 11 |
| LT-1 HG | 53205 1 | 1/2" | 3/8"-16 | 15/16" | 3" | 2-3/8" | 17.5 | 24 |
| LT-2 HG | 53210 5 | 3/4" | 3/8"-16 | 1-1/8" | 3-5/16" | 2-3/8" | 19 | 25.5 |
| LT-3 HG | 53215 0 | 1" | 3/8"-16 | 1-3/8" | 3-7/16" | 2-3/8" | 20 | 26.5 |
| LT-4 HG | 53220 4 | 1-1/4" | 3/8"-16 | 1-11/16" | 3-23/32" | 2-3/8" | 21.5 | 28 |
| LT-5 HG | 53225 9 | 1-1/2" | 3/8"-16 | 2" | 4" | 2-1/2" | 23.5 | 30 |
| LT-6 HG | 53230 3 | 2" | 3/8"-16 | 2-7/16" | 4-7/16" | 2-1/2" | 26.5 | 33 |
| LT-7 HG | 53235 8 | 2-1/2" | 1/2"-13 | 2-15/16" | 5-7/32" | 3" | 57 | 71 |
| LT-8 HG | 53240 2 | 3" | 1/2"-13 | 3-9/16" | 5-3/4" | 3" | 62 | 77 |
| LT-9 HG | 53245 7 | 3-1/2" | 1/2"-13 | 4-1/16" | 6-1/4" | 3" | 68 | 82 |
| LT-10 HG | 53250 1 | 4" | 1/2"-13 | 4-9/16" | 6-3/4" | 3" | 74 | 89 |
| LT-11 HG | 53255 6 | 5" | 1/2"-13 | 5-5/8" | 7-13/16" | 3" | 86 | 101 |
| LT-12 HG | 53260 0 | 6" | 5/8"-11 | 6-3/4" | 9-1/2" | 3-3/4" | 167 | 194.5 |
| LT-13 HG | 53265 5 | 8" | 5/8"-11 | 8-3/4" | 11-1/8" | 3-3/4" | 196 | 223.5 |
| LT-14 HG | 53270 9 | 10" | 3/4"-10 | 10-7/8" | 13-13/16" | 4" | 440 | 460 |



Hot Galvanized

Some sizes also available in Stainless Steel. See page 51.





SQUARE BEND U-BOLTS

Furnished with 3/8" nuts and flat washers.

ZINC PLATED U-BOLTS WITH 2 NUTS AND 2 WASHERS




Zinc Plated

| Stock No. | Part No. | A Diameter | C Inside Width | B Overall Length | T Thread Length | Weight Per 100 | |
|-----------|----------|---------------|-------------------|---------------------|--------------------|----------------|-----------------|
| | | | | | | U-Bolt Only | U-Bolt & 4 Nuts |
| SB-1 | 51005 9 | 3/8"-16 | 2" | 3" | 1-1/2" | 19 | 25.5 |
| SB-2 | 51010 3 | 3/8"-16 | 2" | 5" | 3" | 29 | 35.5 |
| SB-3 | 51015 8 | 3/8"-16 | 2" | 7" | 3-3/4" | 38.5 | 44.5 |
| SB-4 | 51020 2 | 3/8"-16 | 4" | 3" | 1-1/2" | 23.5 | 29.5 |
| SB-5 | 51025 7 | 3/8"-16 | 4" | 5" | 3" | 33.5 | 40 |
| SB-6 | 51030 1 | 3/8"-16 | 4" | 7" | 3-3/4" | 43.5 | 49.5 |
| SB-7 | 51035 6 | 3/8"-16 | 6" | 5" | 3" | 38.5 | 44.5 |
| SB-8 | 51040 0 | 3/8"-16 | 6" | 7" | 3-3/4" | 48 | 56 |
| SB-9 | 51045 5 | 3/8"-16 | 6" | 9" | 5-5/8" | 57 | 63 |

Also available in Stainless Steel. See page 51.



HOT GALVANIZED U-BOLTS WITH 2 NUTS AND 2 WASHERS



| Stock No. | Part No. | A Diameter | C Inside Width | B Overall Length | T Thread Length | Weight Per 100 | |
|-----------|----------|---------------|-------------------|---------------------|--------------------|----------------|-----------------|
| | | | | | | U-Bolt Only | U-Bolt & 4 Nuts |
| SB-1HG | 53405 5 | 3/8"-16 | 2" | 3" | 1-1/2" | 19 | 25.5 |
| SB-2HG | 53410 9 | 3/8"-16 | 2" | 5" | 3" | 29 | 35.5 |
| SB-3HG | 53415 4 | 3/8"-16 | 2" | 7" | 3-3/4" | 38.5 | 44.5 |
| SB-4HG | 53420 8 | 3/8"-16 | 4" | 3" | 1-1/2" | 23.5 | 29.5 |
| SB-5HG | 53425 3 | 3/8"-16 | 4" | 5" | 3" | 33.5 | 40 |
| SB-6HG | 53430 7 | 3/8"-16 | 4" | 7" | 3-3/4" | 43.5 | 49.5 |
| SB-7HG | 53435 2 | 3/8"-16 | 6" | 5" | 3" | 38.5 | 44.5 |
| SB-8HG | 53440 6 | 3/8"-16 | 6" | 7" | 3-3/4" | 48 | 56 |
| SB-9HG | 53445 1 | 3/8"-16 | 6" | 9" | 5-5/8" | 57 | 63 |



Hot Galvanized

U-BOLT DISPLAY



U-BOLT DISPLAY PART # 60040 8

| Qty. | Stock No. | Pipe Size | Thread Diameter |
|------|-----------|-----------|-----------------|
| 10 | 4 | 1/2" | 1/4"-20 |
| 10 | 5 | 3/4" | 1/4"-20 |
| 10 | 5L | 3/4" | 1/4"-20 |
| 10 | 7 | 1" | 1/4"-20 |
| 10 | 11 | 1" | 5/16"-18 |
| 10 | 11L | 1" | 5/16"-18 |
| 10 | 13 | 1-1/4" | 5/16"-18 |
| 10 | 13L | 1-1/4" | 5/16"-18 |
| 10 | 14 | 1-1/2" | 5/16"-18 |
| 10 | 14L | 1-1/2" | 5/16"-18 |
| 10 | 15 | 2" | 5/16"-18 |
| 10 | 15L | 2" | 5/16"-18 |
| 10 | 22 | 2" | 3/8"-16 |
| 10 | 24 | 3" | 3/8"-16 |

140 U-Bolts
Shipping Wt.35 lbs.